# VISTA Technologies, Inc. Radiation Safety Program

# PROCEDURE - 20 CONFINED SPACE ENTRY



1019 Central Parkway North, Suite 115 San Antonio, Texas 78232 210-494-4282

# VISTA Technologies, Inc. Radiation Safety Program

### **PROCEDURE - 22**

# QUALITY ASSURANCE/ QUALITY CONTROL



1019 Central Parkway North, Suite 115 San Antonio, Texas 78232 210-494-4282

#### TABLE OF CONTENTS

1. QUA	LITY ASSURANCE/QUALITY CONTROL PROGRAM	1
1.1. N	Jecessary Supplies	1
	bjectives	
	Standard Operating Practices	
	Health Physics Quality Control	
1.2.3.	Field Inspections and Program Review	2
1.3. A	MENDMENTS TO PROCEDURES	3
1.3.1.	Necessary Supplies	3
	Specific Instructions	

#### LIST OF ATTACHMENTS

Attachment Number	Name of Attachment
44	Quality Assurance Program Training and Record Form
45	Document Revision Notice Form
46	Document Revision Request Form
47	Quality Assurance Document Review Form
Organization Chart	

#### ABBREVIATIONS AND ACRONYMS

α         -         Alpha           β         -         Beta           γ         -         Gamma           μ         -         Micro           241 Am         -         Americium-241           137 Ce         -         Cesium-137           224 Pa         -         Protactinium-234           210 Pb         -         Lead-210           210 Po         -         Polonium-214           218 Po         -         Polonium-214           218 Po         -         Polonium-218           221 Pu         -         Plutonium-232           226 Ra         -         Radium-226           228 Ra         -         Radon-219 (Actinium Series)           220 Rn         -         Radon-220 (Thorium Series)           8°S r         -         Radon-222 (Uranium Series)           8°S r         -         Strontium-89           9°S r         -         Strontium-89           9°S r         -         Strontium-230           132 Th         -         Natural Thorium           132 Th         -         Natural Thorium           132 Th         -         NicroCuries per hour
μ-Micro241 Am-Americium-241137 Ce-Cesium-137234 Pa-Protactinium-234210 Pb-Lead-210210 Po-Polonium-210214 Po-Polonium-214218 Po-Polonium-218232 Pu-Plutonium-232226 Ra-Radium-226228 Ra-Radium-228219 Rn-Radon-219 (Actinium Series)220 Rn-Radon-220 (Thorium Series)89 Sr-Strontium-8990 Sr-Strontium-90230 Th-Thorium-230232 Th-Natural Thorium238 U-Uranium-238μCi-MicroCuries per hourμCi/hr-MicroCuries per milliliterμM-MicroGentgen per hourμg/mg-MicroRoentgen per hourμg/mg-Microgram per milligramALARA-As low as reasonably achievableALI-Annual limit on intakeANSI-American National Standards InstituteAPR-Air-purifying respirator
μ-Micro241 Am-Americium-241137 Ce-Cesium-137234 Pa-Protactinium-234210 Pb-Lead-210210 Po-Polonium-210214 Po-Polonium-214218 Po-Polonium-218232 Pu-Plutonium-232226 Ra-Radium-226228 Ra-Radium-228219 Rn-Radon-219 (Actinium Series)220 Rn-Radon-220 (Thorium Series)89 Sr-Strontium-8990 Sr-Strontium-90230 Th-Thorium-230232 Th-Natural Thorium238 U-Uranium-238μCi-MicroCuries per hourμCi/ml-MicroCuries per milliliterμM-MicroGentgen per hourμg/mg-MicroRoentgen per hourμg/mg-Microgram per milligramALARA-As low as reasonably achievableALI-Annual limit on intakeANSI-American National Standards InstituteAPR-Air-purifying respirator
Americium-241  137 Ce - Cesium-137  234Pa - Protactinium-234  109b - Lead-210  210Po - Polonium-210  214Po - Polonium-214  218Po - Polonium-218  222Pu - Plutonium-232  226Ra - Radium-226  228Ra - Radium-228  219Rn - Radon-219 (Actinium Series)  220Rn - Radon-220 (Thorium Series)  222Rn - Radon-222 (Uranium Series)  89 Sr - Strontium-89  80 Sr - Strontium-90  230Th - Thorium-230  231Th - Natural Thorium  232Th - Natural Thorium  238U - Uranium-238   μCi - MicroCurie  μCi/ml - MicroCuries per hour  μCi/ml - MicroCuries per milliliter  μΜ - MicroRoentgen per hour  μα/mg - MicroRoentgen per hour  μα/mg - Microgram per milligram   ALARA - As low as reasonably achievable  ALI - Annual limit on intake  ANSI - American National Standards Institute  APR - Air-purifying respirator
137 Ce 234Pa 210Pb 210Pb 210Po 214Po 214Po 218Po 226Ra 228Ra 228Ra 219Rn 220Rn 220Rn 220Rn 222Rn 222Rn 222Rn 223Pu 224Rn 225Rn 220Rn 220Rn 221Rn 220Rn 221Rn 221Rn 221Rn 2221Rn 2221Rn 2221Rn 2321Rn 2321Rn 2321Rn 2321Rn 2421Rn 2532 Curanium Series) 2221Rn 2321Rn 2332 Curanium Series) 2343 Curanium Series) 2444 Curanium Series) 255 Curanium Series) 265 Curanium Series) 266 Curanium Series) 277 Curanium Series) 278 Curanium Series) 279 Curanium Series) 270 Curanium Series) 270 Curanium Series) 271 Curanium Series) 272 Curanium Series) 272 Curanium Series) 273 Curanium Series) 274 Curanium Series) 275 Curanium Series) 276 Curanium Series) 277 Curanium Series) 278 Curanium Series) 278 Curanium Series) 279 Curanium Series) 270 Curanium S
137 Ce 234Pa 210Pb 210Pb 210Po 214Po 214Po 218Po 226Ra 228Ra 228Ra 219Rn 220Rn 220Rn 220Rn 222Rn 222Rn 222Rn 223Pu 224Rn 225Rn 220Rn 220Rn 221Rn 220Rn 221Rn 221Rn 221Rn 2221Rn 2221Rn 2221Rn 2321Rn 2321Rn 2321Rn 2321Rn 2421Rn 2532 Curanium Series) 2221Rn 2321Rn 2332 Curanium Series) 2343 Curanium Series) 2444 Curanium Series) 255 Curanium Series) 265 Curanium Series) 266 Curanium Series) 277 Curanium Series) 278 Curanium Series) 279 Curanium Series) 270 Curanium Series) 270 Curanium Series) 271 Curanium Series) 272 Curanium Series) 272 Curanium Series) 273 Curanium Series) 274 Curanium Series) 275 Curanium Series) 276 Curanium Series) 277 Curanium Series) 278 Curanium Series) 278 Curanium Series) 279 Curanium Series) 270 Curanium S
234Pa - Protactinium-234 210Pb - Lead-210 210Po - Polonium-210 214Po - Polonium-214 218Po - Polonium-218 232Pu - Plutonium-232 226Ra - Radium-226 228Ra - Radium-228 219Rn - Radon-219 (Actinium Series) 220Rn - Radon-220 (Thorium Series) 222Rn - Radon-222 (Uranium Series) 222Rn - Radon-222 (Uranium Series) 239Sr - Strontium-89 290Sr - Strontium-90 210Th - Thorium-230 212Th - Natural Thorium 2138U - Uranium-238  μCi - MicroCurie μCi/hr - MicroCuries per hour μCi/ml - MicroCuries per milliliter μΜ - MicroRoentgen per hour μβ/mg - MicroGram per milligram  ALARA - As low as reasonably achievable ALI - Annual limit on intake ANSI - American National Standards Institute APR - Air-purifying respirator
210Po - Polonium-210 214Po - Polonium-214 218Po - Polonium-218 222Pu - Plutonium-232 226Ra - Radium-226 228Ra - Radium-228 219Rn - Radon-219 (Actinium Series) 220Rn - Radon-220 (Thorium Series) 2222Rn - Radon-222 (Uranium Series) 223Rn - Radon-222 (Uranium Series) 223Rn - Strontium-89 230Sr - Strontium-90 230Th - Thorium-230 232Th - Natural Thorium 238U - Uranium-238  μCi - MicroCurie μCi/hr - MicroCuries per hour μCi/ml - MicroCuries per milliliter μΜ - MicroCuries per milliliter μΜ - MicroRoentgen per hour μβ/hr - MicroRoentgen per hour μg/mg - Microgram per milligram  ALARA - As low as reasonably achievable ALI - Annual limit on intake ANSI - Air-purifying respirator
210Po - Polonium-210 214Po - Polonium-214 218Po - Polonium-218 222Pu - Plutonium-232 226Ra - Radium-226 228Ra - Radium-228 219Rn - Radon-219 (Actinium Series) 220Rn - Radon-220 (Thorium Series) 2222Rn - Radon-222 (Uranium Series) 223Rn - Radon-222 (Uranium Series) 223Rn - Strontium-89 230Sr - Strontium-90 230Th - Thorium-230 232Th - Natural Thorium 238U - Uranium-238  μCi - MicroCurie μCi/hr - MicroCuries per hour μCi/ml - MicroCuries per milliliter μΜ - MicroCuries per milliliter μΜ - MicroRoentgen per hour μβ/hr - MicroRoentgen per hour μg/mg - Microgram per milligram  ALARA - As low as reasonably achievable ALI - Annual limit on intake ANSI - Air-purifying respirator
214Po - Polonium-214 218Po - Polonium-218 222Pu - Plutonium-232 226Ra - Radium-226 228Ra - Radium-228 219Rn - Radon-219 (Actinium Series) 220Rn - Radon-220 (Thorium Series) 222Rn - Radon-222 (Uranium Series) 222Rn - Radon-222 (Uranium Series) 223Rn - Strontium-89 230Th - Thorium-230 2310Th - Thorium-230 2312Th - Natural Thorium 2318U - Uranium-238  μCi - MicroCurie μCi/hr - MicroCuries per hour μCi/ml - MicroCuries per milliliter μΜ - MicroRoentgen per hour μβ/mg - Microgram per milligram  ALARA - As low as reasonably achievable ALI - Annual limit on intake ANSI - Air-purifying respirator
218Po 232Pu Polonium-218 226Ra Radium-226 228Ra Radium-228 219Rn Radon-219 (Actinium Series) 220Rn Radon-220 (Thorium Series) 222Rn Radon-222 (Uranium Series) 89Sr Strontium-89 90Sr Strontium-90 1332Th Natural Thorium 1338U  LUTanium-238  μCi μCi/hr μCi/ml μCi/ml μCi/ml μM μCi MicroCuries per hour μCi/ml κicroRoentgen per hour μg/mg  ALARA As low as reasonably achievable ALI Annual limit on intake ANSI American National Standards Institute APR Air-purifying respirator
232Pu - Plutonium-232 226Ra - Radium-226 228Ra - Radium-228 219Rn - Radon-219 (Actinium Series) 220Rn - Radon-220 (Thorium Series) 222Rn - Radon-222 (Uranium Series) 222Rn - Radon-222 (Uranium Series) 222Rn - Strontium-89 230Th - Thorium-230 233Th - Natural Thorium 238U - Uranium-238  μCi - MicroCurie μCi/hr - MicroCuries per hour μCi/ml - MicroCuries per milliliter μΜ - MicroRoentgen per hour μR/hr - MicroRoentgen per hour μg/mg - Microgram per milligram  ALARA - As low as reasonably achievable ALI - Annual limit on intake ANSI - American National Standards Institute APR - Air-purifying respirator
226Ra - Radium-226 228Ra - Radium-228 219Rn - Radon-219 (Actinium Series) 220Rn - Radon-220 (Thorium Series) 222Rn - Radon-222 (Uranium Series) 89Sr - Strontium-89 90Sr - Strontium-90 230Th - Thorium-230 232Th - Natural Thorium 238U - Uranium-238  μCi - MicroCurie μCi/hr - MicroCuries per hour μCi/ml - MicroCuries per milliliter μΜ - MicroCuries per milliliter μΜ - MicroRoentgen per hour μg/mg - Microgram per milligram  ALARA - As low as reasonably achievable ALI - Annual limit on intake ANSI - American National Standards Institute APR - Air-purifying respirator
228Ra - Radium-228 219Rn - Radon-219 (Actinium Series) 220Rn - Radon-220 (Thorium Series) 2212Rn - Radon-222 (Uranium Series) 89Sr - Strontium-89 90Sr - Strontium-90 2310Th - Thorium-230 2312Th - Natural Thorium 2318U - Uranium-238  μCi - MicroCurie μCi/hr - MicroCuries per hour μCi/ml - MicroCuries per milliliter μΜ - MicroCuries per milliliter μΜ - MicroRoentgen per hour μg/mg - MicroGram per milligram  ALARA - As low as reasonably achievable ALI - Annual limit on intake ANSI - American National Standards Institute APR - Air-purifying respirator
<ul> <li>Radon-219 (Actinium Series)</li> <li>Radon-220 (Thorium Series)</li> <li>Radon-222 (Uranium Series)</li> <li>Radon-222 (Uranium Series)</li> <li>Sr</li> <li>Strontium-89</li> <li>Sr</li> <li>Strontium-90</li> <li>Thorium-230</li> <li>Natural Thorium</li> <li>Uranium-238</li> <li>WCi</li> <li>MicroCurie</li> <li>μCi/hr</li> <li>MicroCuries per hour</li> <li>μCi/ml</li> <li>MicroCuries per milliliter</li> <li>μΜ</li> <li>MicroRoentgen per hour</li> <li>μg/mg</li> <li>Microgram per milligram</li> <li>ALARA</li> <li>As low as reasonably achievable</li> <li>ALI</li> <li>Annual limit on intake</li> <li>ANSI</li> <li>American National Standards Institute</li> <li>APR</li> <li>Air-purifying respirator</li> </ul>
<ul> <li>Radon-220 (Thorium Series)</li> <li>Radon-222 (Uranium Series)</li> <li>Radon-222 (Uranium Series)</li> <li>Str</li> <li>Strontium-89</li> <li>Str</li> <li>Strontium-90</li> <li>Thorium-230</li> <li>Natural Thorium</li> <li>Uranium-238</li> <li>μCi</li> <li>MicroCurie</li> <li>μCi/hr</li> <li>MicroCuries per hour</li> <li>μCi/ml</li> <li>MicroCuries per milliliter</li> <li>μM</li> <li>MicroRoentgen per hour</li> <li>μg/mg</li> <li>Microgram per milligram</li> <li>ALARA</li> <li>As low as reasonably achievable</li> <li>ALI</li> <li>Annual limit on intake</li> <li>ANSI</li> <li>American National Standards Institute</li> <li>APR</li> <li>Air-purifying respirator</li> </ul>
<ul> <li>Radon-222 (Uranium Series)</li> <li>Str</li> <li>Strontium-89</li> <li>Str</li> <li>Strontium-90</li> <li>Thorium-230</li> <li>Natural Thorium</li> <li>Uranium-238</li> <li>μCi</li> <li>MicroCurie</li> <li>μCi/hr</li> <li>MicroCuries per hour</li> <li>μCi/ml</li> <li>MicroCuries per milliliter</li> <li>μΜ</li> <li>MicroRoentgen per hour</li> <li>μg/mg</li> <li>Microgram per milligram</li> <li>ALARA</li> <li>As low as reasonably achievable</li> <li>ALI</li> <li>Annual limit on intake</li> <li>ANSI</li> <li>American National Standards Institute</li> <li>APR</li> </ul>
89Sr       - Strontium-89         90Sr       - Strontium-90         230Th       - Thorium-230         1232Th       - Natural Thorium         1238U       - Uranium-238         μCi       - MicroCurie         μCi/hr       - MicroCuries per hour         μCi/ml       - MicroCuries per milliliter         μM       - MicroRoentgen per hour         μR/hr       - MicroRoentgen per hour         μg/mg       - Microgram per milligram         ALARA       - As low as reasonably achievable         ALI       - Annual limit on intake         ANSI       - American National Standards Institute         APR       - Air-purifying respirator
<ul> <li>Strontium-90</li> <li>Thorium-230</li> <li>Thorium-238</li> <li>WCi</li> <li>MicroCurie</li> <li>μCi/hr</li> <li>MicroCuries per hour</li> <li>μCi/ml</li> <li>MicroCuries per milliliter</li> <li>μΜ</li> <li>MicroRoentgen per hour</li> <li>μg/mg</li> <li>Microgram per milligram</li> </ul> ALARA <ul> <li>As low as reasonably achievable</li> <li>ALI</li> <li>Annual limit on intake</li> <li>ANSI</li> <li>Air-purifying respirator</li> </ul>
Thorium-230  Thorium-230  Natural Thorium  Uranium-238   μCi  μCi/hr  MicroCurie  μCi/hr  MicroCuries per hour  μCi/ml  MicroCuries per milliliter  μΜ  MicroRoentgen per hour  μg/mg  Microgram per milligram   ALARA  As low as reasonably achievable  ALI  Annual limit on intake  ANSI  Air-purifying respirator
<ul> <li>233 Th</li></ul>
Uranium-238   μCi - MicroCurie μCi/hr - MicroCuries per hour μCi/ml - MicroCuries per milliliter μΜ - MicroMeter μR/hr - MicroRoentgen per hour μg/mg - Microgram per milligram  ALARA - As low as reasonably achievable ALI - Annual limit on intake ANSI - American National Standards Institute APR - Air-purifying respirator
<ul> <li>μCi</li> <li>μCi/hr</li> <li>μCi/hr</li> <li>μCi/ml</li> <li>μCi/ml</li> <li>μCioroCuries per hour</li> <li>μM</li> <li>μCiorometer</li> <li>μR/hr</li> <li>μg/mg</li> <li>MicroRoentgen per hour</li> <li>μg/mg</li> <li>Microgram per milligram</li> </ul> ALARA <ul> <li>As low as reasonably achievable</li> <li>ALI</li> <li>Annual limit on intake</li> <li>ANSI</li> <li>American National Standards Institute</li> <li>APR</li> <li>Air-purifying respirator</li> </ul>
<ul> <li>μCi/hr</li> <li>μCi/ml</li> <li>MicroCuries per hour</li> <li>μM</li> <li>Micrometer</li> <li>μR/hr</li> <li>μg/mg</li> <li>MicroRoentgen per hour</li> <li>μg/mg</li> <li>Microgram per milligram</li> </ul> ALARA <ul> <li>As low as reasonably achievable</li> <li>ALI</li> <li>Annual limit on intake</li> <li>ANSI</li> <li>American National Standards Institute</li> <li>APR</li> <li>Air-purifying respirator</li> </ul>
<ul> <li>μCi/hr</li> <li>μCi/ml</li> <li>MicroCuries per hour</li> <li>μM</li> <li>Micrometer</li> <li>μR/hr</li> <li>μg/mg</li> <li>MicroRoentgen per hour</li> <li>μg/mg</li> <li>Microgram per milligram</li> </ul> ALARA <ul> <li>As low as reasonably achievable</li> <li>ALI</li> <li>Annual limit on intake</li> <li>ANSI</li> <li>American National Standards Institute</li> <li>APR</li> <li>Air-purifying respirator</li> </ul>
<ul> <li>μCi/ml</li> <li>μM</li> <li>MicroCuries per milliliter</li> <li>μR/hr</li> <li>MicroRoentgen per hour</li> <li>μg/mg</li> <li>Microgram per milligram</li> <li>ALARA</li> <li>As low as reasonably achievable</li> <li>ALI</li> <li>Annual limit on intake</li> <li>ANSI</li> <li>American National Standards Institute</li> <li>APR</li> <li>Air-purifying respirator</li> </ul>
<ul> <li>μM - Micrometer</li> <li>μR/hr - MicroRoentgen per hour</li> <li>μg/mg - Microgram per milligram</li> <li>ALARA - As low as reasonably achievable</li> <li>ALI - Annual limit on intake</li> <li>ANSI - American National Standards Institute</li> <li>APR - Air-purifying respirator</li> </ul>
<ul> <li>μR/hr</li> <li>μg/mg</li> <li>MicroRoentgen per hour</li> <li>Microgram per milligram</li> <li>ALARA</li> <li>As low as reasonably achievable</li> <li>ALI</li> <li>Annual limit on intake</li> <li>ANSI</li> <li>American National Standards Institute</li> <li>APR</li> <li>Air-purifying respirator</li> </ul>
<ul> <li>μg/mg</li> <li>ALARA</li> <li>As low as reasonably achievable</li> <li>ALI</li> <li>Annual limit on intake</li> <li>ANSI</li> <li>American National Standards Institute</li> <li>APR</li> <li>Air-purifying respirator</li> </ul>
ALARA - As low as reasonably achievable ALI - Annual limit on intake ANSI - American National Standards Institute APR - Air-purifying respirator
ALI - Annual limit on intake ANSI - American National Standards Institute APR - Air-purifying respirator
ANSI - American National Standards Institute APR - Air-purifying respirator
APR - Air-purifying respirator
APR - Air-purifying respirator
Bq - Becquerel
Bq/m <sup>3</sup> - Becquerels per cubic meter of air
BZ - Breathing Zone
<u> </u>
C - Coulomb
C/kg - Coulombs per kilogram
C/kg - Coulombs per kilogram CDE - Committed Dose Equivalent

Curie Ci CIH Certified Industrial Hygienist Cubic feet per minute CFM Clinical Laboratories Improvement Act CLIA Contract Laboratory Program CLP Centimeter cm Centimeters per second cm/sec Counts per minute cpm Cardiopulmonary resuscitation CPR Certified Safety Executive **CSE** Duplicate count (D) Derived air concentration DAC DAC hours DAC-h Double Contingency Analysis DCA Deep Dose Equivalent DDE De-ionized water DI U.S. Department of Transportation DOT Square Decimeter; one square decimeter equals 100 square centimeters dm<sup>2</sup> Disintegrations per minute dpm Disintegrations per minute per square centimeter dpm/cm<sup>2</sup> Disintegrations per minute per square decimeter dpm/dm<sup>2</sup> Disintegrations per second dps Direct reading dosimeter DRD Depleted uranium DU U.S. Environmental Protection Agency **EPA** Electronvolt eV Feces sample FE Field instrument for detection of low energy radiation **FIDLER** Filter ratio FR Field Sampling Plan **FSP** Square foot ft<sup>2</sup>

Code of Federal Regulations

CFR

γ - Gamma ray GA - General area

GeLi - Germanium - Lithium

G-M - Geiger-Mueller

GMC-H - Mine Safety Appliances Company, full-facepiece, dual .. combination filter

cartridges for an APR

GPD - Gaseous Diffusion Plang

h - hours

He-3 - Helium Three (3)

HEPA - High efficiency particulate air

HNO<sub>3</sub> - Nitric acid HP - Health Physics

hr - Hour

HS - Hot spot (radiation)

HSP - Site-specific Health and Safety Plan

HWP - Hazardous Work Permit

ICRP - International Commission on Radiological Protection

ID - Identification

IDLH - Immediately dangerous to life or health

IDW - Investigation derived waste

IP - Ionization potential

IVC - Independent verification contractor

keV - Kiloelectronvolt

kg - Kilogram

LANL - Los Alamos National Laboratory

lpm - Liters Per Minute

MCA - Multi-channel analyzer

MDA - Minimum detectable activity

meV - Millielectronvolt

m - Meter

m<sup>2</sup> - Squared Meters m<sup>3</sup> - Cubic meters mCi - MilliCurie

MSHP - Manager, Vista Safety and Health Program

mil - 1/1000 inch
ml - Milliliter
mm - Millimeter
mR - MilliRoentgen

mR/hr - MilliRoentgens per hour

mrem - Millirem

mrem/hr - Millirems per hour

MSA - Mine Safety Appliances Company

MSDS - Material Safety Data Sheet

MSHA - Mine Safety and Health Administration

NaI - Sodium iodide

NCA - Nuclear Criticality Analysis NCS - Nuclear Criticality Safety

NCRP - National Council on Radiation Protection and Measurements

NEA - Nuclear Energy Agency

NIST - National Institute of Science and Technology

NIOSH - National Institute for Occupational Safety and Health

n. o. s. - Not otherwise specified

NPDES - National Pollutant Discharge Elimination System

NRC - U.S. Nuclear Regulatory Commission

NS - Nose swipe

NTIS - National Technical Information Service

NVLAP - National Voluntary Laboratory Accreditation Program

OHSO - On-Site Health and Safety Officer
ORNL - Oak Ridge National Laboratory

ORPO - On-Site Ionizing Radiation Protection Officer

OSHA - U.S. Occupational Safety and Health Administration

pCi - PicoCurie

pCi/gm - PicoCuries per gram
pCi/l - PicoCuries per liter
P.E. - Professional Engineer
PF - Protection Factor

PIC - Pocket Ionization Chamber

PM - Project Manager PMT - Photomultiplier Tube

PPE - Personal Protective Equipment
PRP - Potentially Responsible Party
PRS - Portable ratemeter/scaler

PVC - Polyvinyl chloride

QA - Quality assurance QC - Quality control

R - Roentgen

RA - Restricted (radiation) area rad - Radiation absorbed dose

RAS-1 - Kurz air sampling pump flow calibration kit

REM - Roentgen equivalent man

RHSC - Radiation Health and Safety Committee

RSO - VISTA Radiation Safety Officer

RWP - Radiation work permit

SAP - Sampling and Analysis Plan

SCBA - Self-contained breathing apparatus

SRD - Self-reading dosimeter

TODE - Total Organ Dose Equivalent
TLD - Thermoluminescent dosimeter

TWA - Time-weighted average

Unat - Natural uranium
UR - Urine sample
U.S. - United States

VISTA - Vista Technologies, Inc.

VSHP - VISTA Safety and Health Program
VRSP - VISTA Radiation Safety Program

WL - Working Level WP - Work Plan

#### TABLE OF CONTENTS

1. QUAL	LITY ASSURANCE/QUALITY CONTROL PROGRAM	
	ecessary Supplies	
	ojectives	
	Standard Operating Practices	
	Health Physics Quality Control	
	Field Inspections and Program Review	
	MENDMENTS TO PROCEDURES	
	Necessary Supplies	
	Specific Instructions	

#### QUALITY ASSURANCE/QUALITY CONTROL

The following sections discuss Vista's Quality Assurance (QA) or Quality Control (QC) Program, and amendments to procedures.

#### 1. QUALITY ASSURANCE/QUALITY CONTROL PROGRAM

The purpose of this procedure is to set forth a policy for accomplishing a quality program at Vista project work sites that would fulfill Vista's responsibility to client specifications, and will provide the project field staff with a foundation for reference and effective control for all activities.

The quality of a product or service is a primary key for customer satisfaction. Vista's entire organization recognizes the increasing demand for high quality and reliability of service aimed at the protection of both the environment and people. Vista's philosophy is that it will provide only the support service for which it is qualified. The Vista Radiation Safety Program (VRSP) and QA or QC program will maintain a high degree of confidence of the client.

The following sections delineate necessary supplies, objectives, standard operating practices, health physics quality control, and field inspections and program review.

#### 1.1. Necessary Supplies

- "Quality Assurance Program Training Requirement and Record Form," shown as Attachment 44.
- Clipboard and Pen
- Radiation Work Permit

#### 1.2. Objectives

The objectives of the QA/QC program for the VRSP are as follows:

- To provide an effective monitoring program for the verification of quality characteristics of analytical laboratory, dosimetry and health physics services;
- To provide continual monitoring services for review of procedures, overall effectiveness, and economic evaluation of the QA/QC program, and provide observations and recommendations for improvement in all areas of company operations where quality may be affected; and
- To provide a value analysis system for all functions of the company, and establish a "feedback system" for improved customer and employee relations.

#### 1.2.1. Standard Operating Practices

This section discusses standard operating practices applicable to health physics services provided by Vista. Vista is dedicated to fulfilling the requirements of specific practices as follows:

- Federal and state rules, guidelines, and regulations;
- Consensus standards related to the nature of services performed (e.g., ANSI);
- Regulatory Guides published by the Nuclear Regulatory Commission (NRC); and

• Negotiated contractual agreements with clients.

#### 1.2.2. Health Physics Quality Control

Health physics quality control is provided by an independent peer review of calculations, reports, and record keeping. The review will be for technical accuracy, approach, and validity of assumptions and conclusions. After peer review, reports will be reviewed and approved by the Vista On-site Radiation Protection Officer (ORPO) and the On-site Health and Safety Officer (OHSO).

Routine performances require documentation of all pertinent information with basic documents dated and signed or initialed. Worksheets utilized during an individual procedure are also major documents and include all raw data and other information used in performing the analyses.

Data reports to the client will have at least two successive steps of review. Data will be formally transmitted to the client via the Project Manager (PM). Responsibility for compliance with general workmanship and standard practices will be vested in the Vista ORPO and OHSO. The supervisors will, as necessary, indoctrinate and enforce employee compliance with the VRSP and the Health and Safety Plan (HSP).

#### 1.2.3. Field Inspections and Program Review

The following field inspections and reviews will be conducted:

- Vista project management staff (Vista Program Manager, Project Manager (PM) and/or Radiation Safety Officer) are responsible for delegating assignments to the Vista Onsite Radiation Protection Officer (ORPO) and Vista On-site Health and Safety Officer (OHSO) at Vista project work sites. The Vista Radiation Safety Officer (RSO) may randomly choose to visit Vista project sites, or on an as-needed basis, to review program activities and assess the effectiveness of radiological services.
- During these visits, the Vista PM and/or Vista ORPO will assist the Vista RSO in touring the Vista project work site and review the progress of field activities, inspect site records associated with personnel radiation protection, field measurement data, field laboratory data to determine the adequacy of program resources.
- On an annual basis or after mobilization of new projects, the Vista's ORPO, OHSO or RSO will audit Vista project work sites to assure compliance with the VRSP and other applicable procedures.
- Vista PMs are responsible for delegating specific assignments to site workers. The
  Vista ORPO is responsible for conducting radiological services in conjunction with the
  Vista OHSO and in accordance with Vista project specific instructions and associated
  procedures. The ORPO or OHSO will perform a daily radiation level survey, or as
  specified in the Radiation Work Permit (RWP) using the appropriate equipment for the
  sites and/or areas at which work will be performed.
- During the surveillance, the Vista ORPO will review records such as access control, dosimetry, survey of personnel, material released from the area, field measurements, and logbook forms that originate as a result of characterization or post-remedial action monitoring. The Vista's PMs will ensure that all records are completed in accordance with procedural requirements and printed instructions.

• Site workers are responsible for providing radiological service in accordance with written procedures and instructions. Each individual will review all forms upon which they record radiation protection and measurement data. The review is to ensure that data entries are complete and legible and all appropriate supporting information has been included prior to submittal of forms to the Vista files.

#### 1.3. AMENDMENTS TO PROCEDURES

The VRSP is a controlled document. The purpose of this procedure for amendments to procedures is to provide a method for revisions or changes to existing procedures in the VRSP. This procedure applies to all of the procedures listed in this document.

#### 1.3.1. Necessary Supplies

- "Document Revision Notice Form," shown as Attachment 45.
- "Document Revision Request Form," shown as Attachment 46.
- "Quality Assurance Document Review Form," shown as Attachment 47.

#### 1.3.2. Specific Instructions

Initiation of Change

Changes to the VRSP may be initiated by any member of the Vista project work staff (PM, ORPO, and/or OHSO) using Attachment 46. A request for a change will be submitted to the Vista RSO for approval before it is adopted. Vista RSO may provide verbal approval or when time is of critical nature authorize the ORPO. Situations of this nature will be identified in the RWP.

#### Type and Description of Change

The type of change to be made should be indicated by checking the appropriate space of the form shown as "Document Revision Notice," Attachment 45. With any temporary or permanent change, one copy of the "Document Revision Notice" will be attached to the applicable procedure at the site. A temporary change will terminate with a Field Revision Order, indicating a decision of change. A permanent change will be formalized in any subsequent revision of the VRSP.

The description of the change to be made must be included in the appropriate space on the form shown as Attachment 45. The sections of the procedure being revised must be identified. All details including the correct format should be included in the revision of the procedure. Additional pages should be attached to the form shown as Attachment 45, if necessary, and should include details, maps, and figures, as appropriate.

#### • Effective Date

- Temporary revisions may be approved verbally by the Vista RSO, provided written approval from the Vista RSO is obtained within 5 working days.
- Permanent revisions to procedures will become effective on the date the form shown as Attachment 45 is signed.


• Distribution

Copies of revisions, temporary or permanent, will be distributed to all personnel having controlled copies of the VRSP.

• Quality Assurance Annual Review

Reviews of any changes to the procedures in the VRSP will be completed annually by the Vista RSO.

### VISTA RADIATION MANAGEMENT ORGANIZATION CHART



**ATTACHMENTS** 

# QUALITY ASSURANCE PROGRAM TRAINING REQUIREMENT AND RECORD FORM

an "X" at t prepared to	listed below are re he training session discuss these top	n on pics.	at		ttendance is required as indicated by In such cases, come
Manager/Superviso	r:				Date:
Name			Topics Pro	esented	
Last Firs	st MI				Signature
	•				
		1 1			
RECORD:					
		atad aa indi	cated for narr	annal with cianat	are on

# QUALITY ASSURANCE PROGRAM TRAINING REQUIREMENT AND RECORD FORM

APPLICABILITY CODES:		
O = No training Required		
X = Requires Full Comprehension and Disc	cussion with Manager/Supervisor and ORPO	
M = Make-Up Required at Later Date		
I = Read for Information, Only		
REMARKS:		
3)		

# QUALITY ASSURANCE PROGRAM TRAINING REQUIREMENT AND RECORD FORM

Name		Topics Presented						
Last	First	MI						Signature
			-					
	·							
		· · · · · · · · · · · · · · · · · · ·						
,	, <u> </u>							
·····								
-	•	····						
					-			
	,		<u> </u>	<u> </u>		·		
						1		
<u>.                                      </u>	•							
·								
	• • • • • • • • • • • • • • • • • • • •					-		
<del></del>				ļ				
							ļ	

# ATTACHMENT 45 (Sheet 1 of 2)

#### DOCUMENT REVISION NOTICE FORM

Revision Notic	ee No.	
Page	of	
Issue Date	·	
Го:	Manual Number	
Revision Appr	oved By: (As required)	
	Radiation Safety Officer	Date
	On-Site Health and Safety Officer	Date
	On-Site Radiation Protection Officer	Date

# ATTACHMENT 45 (Sheet 2 of 2)

#### DOCUMENT REVISION NOTICE FORM

MANUAL UPDATE	PLEASE REVISE YOUR PROCEDURES AS INDICATED BELOW.
Please, Sign, Date, and Return This Entire Sheet To	
Vista Technologies, Inc.	Delete From Your Manual Insert In Your Manual Other Amend Your Manual
Acknowledgment: MY COPY HAS BEEN BROUGHT UP TO CURRENT STATUS AND SUPERSEDED MATERIAL HAS BEEN REMOVED AND DESTROYED.	Correct Your Manual Note In Your Manual
	TRAINING
Date: Manual No	Revision Required Additional Training:
	YES NO
Manual Custodian	Document Sponsor
·	I Acknowledge That Training is Required.
	Responsible Individual

## DOCUMENT REVISION REQUEST FORM

Date:			
		_ Title:	;
Title, Number, and Date	e of Document:		
Proposed Revision:			
Justification:			
•			
Response:	Camananta Balani		A 44 1 C1 4
No Comments	Comments Below	· · · · · · · · · · · · · · · · · · ·	Attached Sheet
G: 1B			D :
			Date:
Reviewed By:			Date:

# QUALITY ASSURANCE DOCUMENT REVIEW FORM

Date:	
To: Distribution	
From:	<u>.                                    </u>
Title:	
Subject:	·
	Oocument:
Submitted for Your	review.
Return Comments by	to Quality Assurance Office.
Response:	
No Comments	Comments Below Attached Sheet
· · · · · · · · · · · · · · · · · · ·	
Signed by:	
Date:	
•	
Date:	
Distribution:	